



Certificate No: MCS BBA 0156

Technology:

MCS 012 – Pitched Roof Installation Kits

Products:

GSE Integration Mounting System

| | |
|--|--|
| Components | GSE Integration Frames: Mounting Plate Nylon Block Side flashing EPDM seal Clamps |
| Installation Type | Roof integrated |
| Permissible roof pitch (Angle °) | 15° – 50° |
| Roofing substrate minimum requirements | Slated or tiled roofs |
| Maximum design wind uplift resistance (kPa) <i>Calculated by dividing the characteristic wind uplift resistance by the partial safety factor shown below.</i> | 1.5 |
| Partial (safety) factor(s) | 1.1 |
| Fire classification to EN 13501-5:2005+A1 : 2009 | B _{ROOF} (t4) |

SVH Energie
155-159 rue du docteur Bauer
93400 Saint-Ouen
France

The BBA (British Board of Agrément) has issued this Microgeneration Certification Scheme (MCS) Certificate to the company and products named above, in recognition of the products's compliance with the MCS Scheme Requirements for the technology named above.

On behalf of the British Board of Agrément

Date of issue: 22 May 2014

Claire Curtis-Thomas
Chief Executive

The BBA is a UKAS accredited certification body — Number 113. The schedule of the current scope of accreditation for product certification is available in pdf format via the UKAS link on the BBA website at www.bbacerts.co.uk

Readers are advised to check the validity and latest issue number of this MCS Certificate by either referring to the BBA website or contacting the BBA direct.